EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	172	("ATKINS, BARRY" or "MELGAR, DAVID" or "NADALIN, ANTHONY" or "WESLEY, AJAMU")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 16:51
L2	32	l1 and ((authenticat$3 or authoriz$3 or validat$3) with (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:32
L3	2	l2 and ("remote" adj "trust" adj "proxy")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:32
L4	72720	"INTERNATIONAL BUSINESS MACHINES CORPORATION"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:32
L5	2226	l4 and ((authenticat$3 or authoriz$3 or validat$3) with (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:33
L6	2	l5 and ("remote" adj "trust" adj "proxy")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:33
L7	64067	((authenticat$3 or authoriz$3 or validat$3) with (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:35
L8	2	l7 and ("remote" adj "trust" adj "proxy")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:33
L9	73	l7 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:35
L10	1525	726/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:35
L11	666	l10 and ((authenticat$3 or authoriz$3 or validat$3) with (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:39

L12	1	I11 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:36
L13	111	I11 and (("cross-domain" or "cross" near$2 "domain") with (authenticat$3 or authoriz$3 or validat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:39
L14	53	I13 and (((provid$3 or request$3 or pass$3 or transmitt$3 or send$3) wilth (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID")) with ("proxy" or "router" or "firewall" or "gateway"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:39
L15	1	I14 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:40
L16	863	726/5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:37
L17	522	I16 and ((authenticat$3 or authoriz$3 or validat$3) with (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:46
L18	90	I17 and (("cross-domain" or "cross" near$2 "domain") with (authenticat$3 or authoriz$3 or validat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:46
L19	43	I18 and (((provid$3 or request$3 or pass$3 or transmitt$3 or send$3) wilth (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID")) with ("proxy" or "router" or "firewall" or "gateway"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:47
L20	1	I19 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:47
L21	360	726/12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:46

EAST Search History

L22	140	I21 and ((authenticat$3 or authoriz$3 or validat$3) with (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:49
L23	33	I22 and (("cross-domain" or "cross" near$2 "domain") with (authenticat$3 or authoriz$3 or validat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:49
L24	31	I23 and (((provid$3 or request$3 or pass$3 or transmitt$3 or send$3) wilth (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID")) with ("proxy" or "router" or "firewall" or "gateway"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:49
L25	0	I24 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:50
L26	477	726/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:49
L27	223	I26 and ((authenticat$3 or authoriz$3 or validat$3) with (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L28	44	I27 and (("cross-domain" or "cross" near$2 "domain") with (authenticat$3 or authoriz$3 or validat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L29	18	I28 and (((provid$3 or request$3 or pass$3 or transmitt$3 or send$3) wilth (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID")) with ("proxy" or "router" or "firewall" or "gateway"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L30	0	I29 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L31	202	726/18.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:51

L32	87	I31 and ((authenticat$3 or authoriz$3 or validat$3) with (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L33	9	I32 and (("cross-domain" or "cross" near$2 "domain") with (authenticat$3 or authoriz$3 or validat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L34	4	I33 and (((provid$3 or request$3 or pass$3 or transmitt$3 or send$3) wilth (("security" adj credential$1) or "credential" or "identity" or "identification" or "ID")) with ("proxy" or "router" or "firewall" or "gateway"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L35	0	I34 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52

Google Patent Search BETA

| using identification locate previously stored se | Search Patents | Advanced Patent Search
Google Patent Search Help

Patents   Patents **1 - 10** on **using identification locate previously stored security credential**. (**0.25** seconds)

Sort by relevance | Sort by date (new first) | Sort by date (old first)

Technique for handling subsequent user identification and password requests ...

ened **security** requirements), and which require the sign-on process of obtaining
... and **using** the **stored** password or the generated password substitute to ...

Multiple remote data access security mechanism for multitiered internet ...
US Pat. 6052785 - Filed Nov 21, 1997 - International Business Machines Corporation
The **credential**, eg michael.cred and access drive the User ID and client Distinguished
name 524 and used to information is **stored** as shown in the first row ...

Technique for handling subsequent user identification and password requests ...
US Pat. 6934848 - Filed Jul 19, 2000 - International Business Machines Corporation
Or, it may happen that different **security** credentials are required for a user when
... and **using** the **stored** password or the generated password substitute to ...

Mechanism and apparatus for using messages to look up documents stored in ...
US Pat. 6643650 - Filed Sep 12, 2000 - Sun Microsystems, Inc.
In one embodiment, a client may present a client **identification** token or **credential**
to an authentication service. The client token or **credential** may be ...

Technique for synchronizing security credentials using a trusted ...
US Pat. 6986039 - Filed Jul 11, 2000 - International Business Machines Corporation
Here, a mapping is 55 **security credential** values (including **stored** password ...
user's **previously**-existing distinct IDs are extracted from local registries, ...

System and method for secure web server gateway access using credential ...
US Pat. 6067623 - Filed Nov 21, 1997 - International Business Machines Corp.
In particular, it relates to the use according the secure socket layer (SSL) or
secure hypertext of **security credential** transformation to enable access to w ...

System for vending products and services using an identification card and ...
US Pat. 6854642 - Filed Oct 19, 2001 - Chesterfield Holdings, L.L.C.
The machine accordingly dials a **stored** phone number to connect to the ...
During initialization, Bob's **previously** created configuration 50 file is consulted ...

Voice-messaging with attachments
US Pat. 7212614 - Filed Nov 9, 2001 - AT&T Corp
The **identification** of the location of the attachment may be performed by any ...
using a keypad, by choosing from a menu of documents **previously stored** by ...

Providing end-to-end user authentication for host access using digital ...
US Pat. 6823452 - Filed Dec 17, 1999 - International Business Machines Corporation
The RACF system extracts the user's **identification** from the subject field of the

client certificate, and uses this information to **locate** the user's **stored** ...

Mobile host **using** a virtual single account client and server system for ...
US Pat. 6971005 - Filed Oct 23, 2001 - AT&T Corp.
If the local authentication **credential** is a **security** certificate with known ...
As **previously** discussed, the new VSA password is generated **using** the common ...

Goooooogle ▶

Result Page: 1 2 3 4 5 6   **Next**

| using identification locate previously stored s‹ | Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

©2007 Google

Google
Patent Search BETA

| using identification locate previously stored se| | Search Patents | Advanced Patent Search
Google Patent Search Help

Patents

Patents **11 - 20** on **using identification locate previously stored security credential**. (0.05 seconds)

Sort by relevance | Sort by date (new first) | Sort by date (old first)

Secure transaction system and method utilized therein
US Pat. 5267314 - Filed Nov 17, 1992
15B illustrates issuance of a **credential** according to the alternate embodiment
... since **using** an unsecured link would present a potential **security** problem. ...

Dual mode electronic **identification** system
US Pat. 5317309 - Filed Sep 21, 1992 - Westinghouse Electric Corp.
IB is a diagrammatic representation of a **security** system **using** an **identification**
tag as a beacon for position tracking in a wide **security** area. FIG. ...

Technique for synchronizing **security** credentials from a master directory ...
US Pat. 6986038 - Filed Jul 11, 2000 - International Business Machines Corporation
Here, a mapping is 55 **security credential** values (including **stored** password ...
user's **previously**-existing distinct IDs are extracted from local registries, ...

Method and apparatus to discover services **using** flexible search criteria
US Pat. 6862594 - Filed Aug 31, 2000 - Sun Microsystems, Inc.
Access authorization may be determined during the **identification** and ...
an authorization **credential** such as a digital signature or certificate may be ...

Method and apparatus for interfacing with a stateless network file system server
US Pat. 6081807 - Filed Jun 13, 1997 - Compaq Computer Corporation
A file handle, as **previously** described, is a data structure that ... file system
then attempts to **locate** a VNODE associated with the file **using** a hashing ...

Method and system for wireless voice channel/data channel integration
US Pat. 7092370 - Filed Aug 16, 2001 - Roamware, Inc.
18 is a block diagram including a mid-level **security** single sign-on service 1810.
Applications **using** the single sign-on service 1810 are concerned with user ...

Mobile host **using** a virtual single account client and server system for ...
US Pat. 7069433 - Filed Oct 29, 2001 - AT&T Corp.
If the local authentication **credential** is a **security** certificate with known ...
As **previously** discussed, the new VSA password is generated **using** the common ...

Integrated system for network layer **security** and fine-grained identity-based ...
US Pat. 6986061 - Filed Nov 20, 2000 - International Business Machines Corporation
Incoming packets are then compared to the **stored security** 55 policy information.
... **previously-stored** privileges or credentials of that authenticated user. ...

System and method for remote **identification** of coded articles and the like
US Pat. 5502445 - Filed May 22, 1995 - David Sarnoff Research Center, Inc.
These combined objectives have not **previously** been met. ... The target, **using**

internally **stored** electric power derived from the auxiliary energizing field, ...

Addressing message gates in a distributed computing environment
US Pat. 6789126 - Filed Oct 19, 2000 - Sun Microsystems, Inc.
a binding process (eg for a URI or **credential**) performed at runtime. ...
executing within the same device may **locate** and use a particular gate repeatedly. ...

◀ Goooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6   **Next**

| using identification locate previously stored s | Search Patents |

·Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

©2007 Google